

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S7	10	(obtain\$3 stor\$3) near3 (predicat\$3 boolean) same (iterator table) near2 function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:18
S8	337	(predicat\$3 boolean) same (iterator table) near2 function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 10:54
S9	284	(predicat\$3 boolean) same (iterator table) near2 function and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 10:41
S10	6346	707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 10:41
S11	19	S9 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 10:51
S12	13	qualification adj descript\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 10:52
S13	336	(predicat\$3 boolean) same (iterator table) near2 function with (structure descript\$3 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 10:55
S14	9	(predicat\$3 boolean) same (iterator table) near2 function with (structure descript\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 10:58

## EAST Search History

S15	96	query near2 (process\$3 pars\$3) and (predicate boolean) near3 structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:00
S16	84	query near2 (process\$3 pars\$3) and (predicate boolean) near3 structure and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:08
S17	21	query near2 (predicate boolean) near3 structure and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:08
S20	803	(obtain\$3 stor\$3 deriv\$3) near3 predicat\$3 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:20
S21	357	database and (obtain\$3 stor\$3 deriv\$3) near3 predicat\$3 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:21
S24	68	index near predicat\$3 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:54
S26	291	predicate.drwd.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 12:07
S27	17	predicate near descript\$3 and predicate.drwd.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 12:15

## EAST Search History

S28	3	(predicate near index).drwd.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 12:16
S29	10	(predicate near (index descriptor table)).drwd.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 12:20
S30	125	query near descriptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 12:20
S31	18	query near descriptor with obtain\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 12:57
S35	27	obtain with boolean with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:46
S36	17	extract near predicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:46
S37	191	stor\$3 near predicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:56
S38	2	stor\$3 near predicate same descriptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:56

## EAST Search History

S39	7	stor\$3 near predicate with index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:56
S40	5468	query same descri\$5	USPAT; USOCR	OR	ON	2006/03/13 14:17
S41	621	S40 and predicate	USPAT; USOCR	OR	ON	2006/03/13 14:17
S42	115	query same descri\$5 same predicate	USPAT; USOCR	OR	ON	2006/03/13 14:29
S46	105	"707".clas. and query near3 (structure object) same predicate and @ad<"20030929"	USPAT; USOCR	OR	ON	2006/03/13 14:41
S47	945	query near (pars\$3 evaluat\$5 decomp\$4)	USPAT; USOCR	OR	ON	2006/03/13 14:42
S48	63	query near (pars\$3 evaluat\$5 decomp\$4) with (predicate boolean)	USPAT; USOCR	OR	ON	2006/03/13 14:47
S49	2	09/627,295	USPAT; USOCR	OR	ON	2006/03/13 14:47
S50	2	"6775662".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:28
S51	1	10/427,572	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:38
S52	1	"10/690865"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:39
S53	40	iterator near function and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 12:47

## EAST Search History

S54	1131	iterat\$4 near function and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 18:17
S55	2165	(iterat\$4 cursor) near function and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 17:20
S56	105	"707".clas. and (iterat\$4 cursor) near function and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 17:14
S57	936	(iterat\$4 cursor) adj function and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 17:16
S58	54	"707".clas. and (iterat\$4 cursor) adj function and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 17:16
S59	49	("5367675" "5960426" "6085189" "5884299" "6192358" "5937194" "5991764" "5802352" "6134545" "6237134" "6256778" "6385769" "6539543" "6009425" "6233586" "6286135" "6108648" "6775662" "5515484" "5528738" "5581680" "4506326" "5548758" "5548755" "5548754" "5590324" "5615361" "5701456" "5701455" "5724568" "5734884" "5752017" "5758144" "5822750" "5852821" "5864840" "5926809" "6003022" "6032143" "6032144" "6044216" "6061676" "6061676" "6092062" "6182079" "6263345" "6339768" "6345267" "6370522" "6438538").pn.	USPAT	OR	ON	2006/08/16 17:24

## EAST Search History

S60	10	(iterat\$4 cursor) near function and return\$4 near2 row and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 17:21
S61	58	(iterat\$4 cursor) near function and predicat\$3 and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 13:51
S62	42	(iterat\$4 cursor) near function and predicate and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 17:59
S65	92	(sequenc\$3) near function and predicate and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 18:16
S66	576	S55 and filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 18:16
S67	8	S55 and filter with (tuple row)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 18:17
S69	1120	filter near (tuple row) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 18:19
S70	56	function same filter near (tuple row) and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 18:18

## EAST Search History

S71	50	"707".clas. and filter near (tuple row) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 18:19
S78	1272	"4" and filter near (tuple row)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 13:00
S81	18	iterator same statement and filter\$3 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 12:48
S82	1120	filter near (tuple row) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 13:00
S83	81	iterat\$4 and filter near (tuple row) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 13:10
S91	539330	row and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 13:52
S92	134504	(single each one) near3 row and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 13:53
S93	3227	(filter iterat\$4) same (single each one) near3 row and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 13:54

## EAST Search History

S94	2609	"707".clas. and (single each one) near3 row and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 13:53
S95	125	"707".clas. and (filter iterat\$4) same (single each one) near3 row and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 13:54
S96	10	"707".clas. and return\$3 with (filter iterat\$4) same (single each one) near3 row and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 14:18
S97	1	"5930795".PN.	USPAT; USOCR	OR	ON	2006/08/17 14:02
S98	1	"5918225".PN.	USPAT; USOCR	OR	ON	2006/08/17 14:03
S99	14793	sequenc\$3 near function and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 16:26
S10 0	219	"707".clas. and sequenc\$3 near function and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 15:54
S10 2	1	"10/736915"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 15:55
S10 3	8293	table near function and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 16:26



## EAST Search History

S10 4	492	"707".clas. and table near function and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 16:38
S10 5	17	"707".clas. and table near function same predicate and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 16:38